Photo: Levant Vein Cut, Honed Filled Finish, Slab; Levant Vein Cut, Architectural Sanded Finish, Custom Carved Elements All Rights Reserved ©2024 Alkusari Stone

LEVANT VEIN CUT

PRINCIPAL STONES | TRAVERTINE LVC

SEPTEMBER 2024

ALKUSARI S T O N E

www.alkusaristone.com

MAIN OFFICE 4117 East State Highway 29 Bertram, Texas 78605

ph 512.339.2299

SALES houston@alkusaristone.com austin@alkusaristone.com



LEVANT VEIN CUT

PRINCIPAL STONES | TRAVERTINE LVC

| SIZES | | SLABS |
|--------------------------|-----------------------------|-----------|
| SQUARE 3/4" THICKNESS | RECTANGLE 3/4" THICKNESS | THICKNESS |
| 3/4 IHICKNESS | 374 THICKNESS | 3/4" |
| 18" x 18" | 12" x 24" | 571 |
| | | 1 1/4" |
| 24" x 24" | 16" x 24" | |
| 32" x 32" | 18" x 36" | 2" |
| 261261 | 24" | |
| 36" x 36" | 24" x 36" | |
| 48" x 48" | 24" x 48" | |

• ALSO AVAILABLE IN 1/2" THICKNESSES

PRIMARY FLOOR PATTERNS

SEE FOLLOWING PAGE

Please contact us if you require additional custom sizes and thicknesses for your project. As the source and manufacturer, we are capable of providing bespoke material to our customers.

Honed Finish, Filled

FINISHES



Honed, Filled HN-F




Honed, Not Filled нм-мғ



Matte, Filled мт-г



Matte, Not Filled MT-NF



Raw, Not Filled RW-NF



Buchard, Not Filled вс-NF



Charue 1, Filled c1-F



Ratisse, Filled RT-F



Slat Panel, Filled sp-F




Fluted, Filled FT-F

LEVANT VEIN CUT

PRINCIPAL STONES | TRAVERTINE LVC

PRIMARY FLOOR PATTERNS 3/4" THICKNESS



Lineare Set-Length Pattern LSLP

ONE COMPLETE PATTERN EQUALS 17 1/2 SQ/FT

- A (1 pc) 18" X 20"
- B (1 pc) 18" X 24"
- C (1 pc) 18" X 28"
- D (1 pc) 18" X 32"
- E (1 pc) 18" X 36"

LEVANT VEIN CUT

PRINCIPAL STONES | TRAVERTINE LVC

SEPTEMBER 2024

TECHNICAL INFORMATION

| | LOW | MEDIUM | HIGH |
|----------------------|-----|--------|------|
| ABRASION RESISTANCE | | | |
| ABSORPTION | | | |
| COMPRESSION STRENGTH | | | |
| DENSITY | | | |

APPLICATION

RESIDENTIAL

Interior Floor & Wall; Exterior Floor & Wall

COMMERCIAL

Interior Floor & Wall; Exterior Floor & Wall

INSTALLATION & SEALING

Install per stone industry standards. Dry layout material prior to installation to properly blend color. Always seal the stone prior to grouting or use. Choose a grout color that is similar to the color of the stone to avoid picture frame effect.

CARE & MAINTENANCE

Use only non-abrasive/non-acidic cleaners to avoid etching and scratching. Periodic cleaning with water and natural soap is recommended.

ORDERING SAMPLES

Complimentary samples are available by contacting one of our locations. Customors only pay for shipping. Sample dimensions are 4" X 4" and available in multiple finishes listed on the second page.

PRODUCT CODES

Our Product Codes are created according to this formula:

[Principal Stone Code]-[Finish Code]-[Height and Width, or Pattern Code]-[Thickness]

So, a piece of Levant Vein Cut, with a Chateau and Filled Finish, and measuring 18" x 36" x 3/4" would have the following Product Code:

LVC-CH-F-1836-34