

TERRAVITA

PRINCIPAL STONES | MARBLE TRV

SEPTEMBER 2024

ALKUSARISTONE

www.alkusaristone.com

MAIN OFFICE

4117 East State Highway 29 Bertram, Texas 78605

SALES

houston@alkusaristone.com austin@alkusaristone.com

ph 512.339.2299



Honed Finish

TERRAVITA

PRINCIPAL STONES | MARBLE TRV

SIZES		SLABS
SQUARE 3/4" THICKNESS	RECTANGLE 3/4" THICKNESS	THICKNESS
18" x 18"	12" x 24"	3/4"
		1 1/4"
24" x 24"	18" x 36"	2"
32" x 32"	24" x 36"	
36" x 36"	24" x 48"	
48" x 48"		

PRIMARY FLOOR PATTERNS

SEE FOLLOWING PAGE

Please contact us if you require additional custom sizes and thicknesses for your project. As the source and manufacturer, we are capable of providing bespoke material to our customers.

FINISHES



Polished Ps



Honed ни



Dune on



Buchard вс



Charue 1 c1



Ratisse RT



Slat Panel sp



Fluted FT

TERRAVITA

PRINCIPAL STONES | MARBLE TRV

SEPTEMBER 2024

TECHNICAL INFORMATION

	LOW	MEDIUM	HIGH
ABRASION RESISTANCE			
ABSORPTION			
COMPRESSION STRENGTH			
DENSITY			

APPLICATION

RESIDENTIAL

Interior Floor & Wall; Exterior Floor & Wall

COMMERCIAL

Interior Floor & Wall; Exterior Floor & Wall

INSTALLATION & SEALING

Install per stone industry standards. Dry layout material prior to installation to properly blend color. Always seal the stone prior to grouting or use. Choose a grout color that is similar to the color of the stone to avoid picture frame effect.

CARE & MAINTENANCE

Use only non-abrasive/non-acidic cleaners to avoid etching and scratching. Periodic cleaning with water and natural soap is recommended.

ORDERING SAMPLES

Complimentary samples are available by contacting one of our locations. Customors only pay for shipping. Sample dimensions are 4" X 4" and available in multiple finishes listed on the second page.

PRODUCT CODES

Our Product Codes are created according to this formula:

[Principal Stone Code]-[Finish Code]-[Height and Width, or Pattern Code]-[Thickness] So, a piece of Terravita, with a Chateau Finish, and measuring 18" x 36" x 3/4" would have the following Product Code:

TRV-CH-1836-34